

**CANADIAN GEOTECHNICAL JOURNAL/REVUE CANADIENNE DE  
GÉOTECHNIQUE  
VOLUME 10, 1973  
AUTHOR INDEX/RÉPERTOIRE DES AUTEURS**

---

- Adams, J. I., and Klym, T. W.** A study of anchorages for transmission tower foundations: Closure, 125-126.
- Adams, J. I.** See Radhakrishna, H. S.
- Allen, J. H.** See Dayal, U.
- Alpan, I.** See Frydman, S.
- Alpan, I.** See Kassiff, G.
- Andrawes, K. Z.** See El-Sohby, M. A.
- Arulanandan, K.** See Holzer, T. L.
- Auld, R. G.** See Rowley, R. K.
- Badke, D.** See Gupta, R. C.
- Bhaskaran, R.** Deformation characteristics of granular materials under hydrostatic compression: Discussion, 558-559.
- Bhaskaran, R.** See Sankaran, K. S.
- Bjerke, H.** See Broms, B. B.
- Bozozuk, M.** Settlement performance of two embankments on deep compressible soils: Discussion, 670.
- Bozozuk, M.** Settlement of an embankment constructed on marine clay: Discussion, 671.
- Broms, B. B., and Bjerke, H.** Extrusion of soft clay through a retaining wall, 102-109.
- Brzezinski, L. S., Spector, L., MacPhie, H. L., and Vander Noot, H. J.** An experience with heave of cast *in situ* expanded base piles, 246-260.
- Campanella, R. G.** See Vaid, Y. P.
- Capelle, J. F.** Foundation instrumentation: Book Review, 677.
- Chan, H. T., and Kenney, T. C.** Laboratory investigation of permeability ratio of New Liskeard varved soil, 453-472.
- Chan, H. T.** See Kenney, T. C.
- Christiansen, E. A.** Cities and geology: Book Review, 678.
- Clark, J. I., and Meyerhof, G. G.** The behavior of piles driven in clay. II: Investigation of the bearing capacity using total and effective strength parameters, 86-102.
- Cragg, C. B. H.** See Robinsky, E. I.
- Crawford, C. B.** The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Closure, 122-125.
- Cruden, D. M., and Krahn, J.** A reexamination of the geology of the Frank Slide, 581-591.
- Darch, B. T.** See Devata, M.
- Dascal, O.** Manicouagan-3: Auscultation du barrage principal, 536-552.
- Dascal, O., et Larocque, G. S.** Caractéristiques de compressibilité des argiles du complexe Nottaway-Broadback-Rupert (Baie James), 41-63.
- Dascal, O., Larocque, G. S. et Tournier, J.-P.** Digue d'essai pour l'étude des tassements d'une fondation d'argile molle et sensible, 363-391.
- Dayal, U., and Allen, J. H.** Instrumented impact cone penetrometer, 397-409.
- DeJong, J., and Morgenstern, N. R.** Heave and settlement of two tall building foundations in Edmonton, Alberta, 261-281.
- Devata, M., and Darch, B. T.** Settlement of an embankment constructed on marine clay, 161-179.
- Devenny, D. W.** See Gibson, G. L.
- Eden, W. J., McRostie, G. C., and Hall, J. S.** Measured contact pressures below raft supporting a stiff building, 180-192.
- Eisenstein, Z., and Morrison, N. A.** Prediction of foundation deformations in Edmonton using an *in situ* pressure probe, 193-210.
- Elsamny, M. K.** Evaluation of the elasticity of clay soils, 632-642.

- El-Sohby, M. A., and Andrawes, K. Z. Deformation characteristics of granular materials under hydrostatic compression: Reply, 676.
- Emery, J. J. Fundamentals of earthquake engineering: Book Review, 127.
- Frydman, S., Zeitlen, J. G., and Alpan, I. The yielding behavior of particulate media, 341-362.
- Garneau, R. See Samson, L.
- Gaskin, P. N. See Sutherland, H. B.
- Gibson, G. L., and Devenny, D. W. Concrete to bedrock bond testing by jacking from bottom of a bore hole, 304-306.
- Gupta, R. C., Marshall, R. G., and Badke, D. Instrumentation for dykes on permafrost, Kettle Generating Station, 410-427.
- Hall, J. S. See Eden, W. J.
- Hanna, T. H. The influence of anchor inclination on pull-out resistance of clays, 664-669.
- Hanna, T. H., and Tan, R. H. S. The behavior of long piles under compressive loads in sand, 311-340.
- Höeg, K. See Holzer, T. L.
- Hollingshead, A. B., Yaremko, E. K., and Neill, C. R. Sedimentation in Glenmore Reservoir, Calgary, Alberta, 109-119.
- Holzer, T. L., Höeg, K., and Arulanandan, K. Excess pore pressures during undrained clay creep, 12-24.
- Judge, A. The prediction of permafrost thicknesses, 1-11.
- Kassiff, G., and Alpan, I. A slope failure in swelling clay, 531-536.
- Kenney, T. C. See Chan, H. T.
- Kenney, T. C., and Chan, H. T. Field investigation of permeability ratio of New Liskeard varved soil, 473-488.
- Klym, T. W. See Adams, J. I.
- Krahn, J. See Cruden, D. M.
- Kuhlemerer, R. L. See Ulrich, C. M.
- LaRochelle, P. See Tavenas, F. A.
- Larocque, G. S. See Dascal, O.
- Lawrence, V. M. See Mitchell, R. J.
- Legget, R. F. Exploring minerals and crystals: Book Review, 309-310.
- Legget, R. F. See Peckover, F. L.
- Legget, R. F., and Peckover, F. L. Foundation performance of a 100-year-old bridge, 504-519.
- Leonards, G. A. The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Discussion, 120-122.
- Lo, K. Y. An approach to the problem of progressive failure: Closure, 671-672.
- Lo, K. Y., and Morin, J. P. Strength anisotropy and time effects of two sensitive clays: Reply, 566-569.
- Mackay, J. R. A frost tube for the determination of freezing in the active layer above permafrost, 392-396.
- MacPhie, H. L. See Brzezinski, L. S.
- Marshall, R. G. See Gupta, R. C.
- McRoberts, E. C. See Nixon, J. F.
- McRostie, G. C. See Eden, W. J.
- Meyerhof, G. G. The uplift capacity of foundations under oblique loads, 64-70.
- Meyerhof, G. G. Coulomb's memoir on statics: Book Review, 309.
- Meyerhof, G. G. Measured contact pressures below raft supporting a stiff building: Discussion, 673.
- Meyerhof, G. G. See Clark, J. I.
- Meyerhof, G. G., and Ranjan, G. The bearing capacity of rigid piles under inclined loads in sand. II: Batter piles, 71-85.
- Meyerhof, G. G., and Ranjan, G. The bearing capacity of rigid piles under inclined loads in sand. III: Pile groups, 428-438.
- Mitchell, R. J. An apparatus for plane strain and true triaxial testing of undisturbed soil samples, 520-527.
- Mitchell, R. J., and Lawrence, V. M. An approach to the problem of progressive failure: Discussion, 562-564.
- Mitchell, R. J., and Wong, P. K. K. The generalized failure of an Ottawa Valley Champlain Sea Clay, 607-616.
- Morgenstern, N. R. See DeJong, J.
- Morgenstern, N. R. See Nixon, J. F.
- Morgenstern, N. R., and Smith, L. B. Thaw-consolidation tests on remoulded clays, 25-40.

- Morin, J. P.** See Lo, K. Y.  
**Morrison, N. A.** See Eisenstein, Z.  
**Neill, C. R.** See Hollingshead, A. B.  
**Newland, P. L.** Excess pore pressures during undrained clay creep: Discussion, 673-675.  
**Nixon, F.** Thaw-consolidation of some layered systems, 617-631.  
**Nixon, J. F., and McRoberts, E. C.** A study of some factors affecting the thawing of frozen soils, 439-452.  
**Nixon, J. F., and Morgenstern, N. R.** The residual stress in thawing soils, 571-580.  
**Ogunbadejo, T. A.** See Quigley, R. M.  
**Peckover, F. L.** See Legget, R. F.  
**Peckover, F. L., and Legget, R. F.** Canadian soil penetration tests of 1872, 528-531.  
**Quigley, R. M., and Ogunbadejo, T. A.** Clay layer fabric and oedometer consolidation of a soft varved clay: Closure, 308.  
**Radhakrishna, H. S., and Adams, J. I.** Long-term uplift capacity of augered footings in fissured clay, 647-652.  
**Raju, V. S., and Sadasivan, S. K.** Deformation characteristics of granular materials under hydrostatic compression: Discussion, 559-562.  
**Ranjan, G.** See Meyerhof, G. G.  
**Rao, D. V.** Clay layer fabric and oedometer consolidation of soft varved clay: Discussion, 307-308.  
**Rao, S. N.** See Sridharan, A.  
**Robinsky, E. I., and Cragg, C. B. H.** Volume displacement effects on pile capacity in loose sand, 645-647.  
**Rowley, R. K.** See Watson, G. H.  
**Rowley, R. K., Watson, G. H., Wilson, T. M., and Auld, R. G.** Performance of a 48-in. warm-oil pipeline supported on permafrost, 282-303.  
**Roy, M.** See Tavenas, F. A.  
**Sadasivan, S. K.** See Raju, V. S.  
**Samson, L., and Garneau, R.** Settlement performance of two embankments on deep compressible soils, 211-226.  
**Sankaran, K. S., and Bhaskaran, R.** Strength anisotropy and time effects of two sensitive clays: Discussion, 564-566.  
**Scott, J. S.** Engineering geology case histories number 8; Engineering seismology: The works of man: Book Review, 570.  
**Shector, L.** See Brzezinski, L. S.  
**Skermer, N. A.** Finite element analysis of El Infernillo Dam, 129-144.  
**Slusarchuk, W. A.** See Watson, G. H.  
**Slusarchuk, W. A., Watson, G. H., and Speer, T. L.** Instrumentation around a warm oil pipeline buried in permafrost, 227-245.  
**Smith, L. B.** See Morgenstern, N. R.  
**Speer, T. L.** See Slusarchuk, W. A.  
**Sridharan, A., and Rao, S. N.** True shear parameters of saturated clays, 652-663.  
**Sutherland, H. B., and Gaskin, P. N.** A comparison of the T.R.R.L. and C.R.R.E.L. tests for the frost susceptibility of soils, 553-557.  
**Tan, R. H. S.** See Hanna, T. H.  
**Tavenas, F. A., Roy, M., and LaRochelle, P.** An artificial material for simulating Champlain clays, 489-503.  
**Tournier, J.-P.** See Dascal, O.  
**Ulrich, C. M., and Kuhlemeyer, R. L.** Coupled rocking and lateral vibrations of embedded footings, 145-160.  
**Vaid, Y. P., and Campanella, R. G.** Making rubber membranes, 643-644.  
**Vander Noot, H. J.** See Brzezinski, L. S.  
**Watson, G. H.** See Slusarchuk, W. A.  
**Watson, G. H.** See Rowley, R. K.  
**Watson, G. H., Slusarchuk, W. A., and Rowley, R. K.** Determination of some frozen and thawed properties of permafrost soils, 592-606.  
**Wilson, N. E.** Symposium on strength and deformation behaviour of soils: Book Review, 127-128.  
**Wilson, T. M.** See Rowley, R. K.  
**Wong, P. K. K.** See Mitchell, R. J.  
**Yaremko, E. K.** See Hollingshead, A. B.  
**Zeitlen, J. G.** See Frydman, S.

## SUBJECT INDEX/RÉPERTOIRE DES SUJETS<sup>1</sup>

---

### A. General

02. *Historical Aspects*  
Coulomb's memoir on statics: Book Review. Meyerhof, G. G., 309.
04. *Textbooks, Handbooks, and Geotechnical Periodicals*  
Fundamentals of earthquake engineering: Book Review. Emery, J. J., 127.  
Exploring minerals and crystals: Book Review. Legget, R. F., 309.  
Engineering geology case histories number 8; Engineering seismology: The works of man: Book Review. Scott, J. S., 570.  
Foundation instrumentation: Book Review. Capelle, J. F., 677.  
Cities and geology: Book Review. Christiansen, E. A., 678.
07. *Societies and Meetings*  
Symposium on strength and deformation behaviour of soils: Book Review. Wilson, N. E., 127.

### B. Engineering Geology

01. *Soil Formation*  
Sedimentation in Glenmore Reservoir, Calgary, Alberta. Hollingshead, A. B., Yaremko, E. K., and Neill, C. R., 109.
03. *Mass Movement and Subsidence*  
A reexamination of the geology of the Frank Slide. Cruden, D. M., and Krahn, J., 581.
05. *Permafrost and Frozen Ground*  
The prediction of permafrost thicknesses. Judge, A., 1.
10. *Mineralogy and Petrography*  
Exploring minerals and crystals: Book Review. Legget, R. F., 309.

### C. Site Investigations

03. *Probings (Soundings)*  
Canadian soil penetration tests of 1872. Peckover, F. L., and Legget, R. F., 528.
07. *Measurement and Field Conditions*  
Field investigation of permeability ratio of New Liskeard varved soil. Kenney, T. C., and Chan, H. T., 473.  
Manicouagan-3: Auscultation du barrage principal. Dascal, O., 536.
08. *Field Testing*  
A study of anchorages for transmission tower foundations: Closure. Adams, J. I., and Klym, T. W., 125.

### D. Soil Properties: Laboratory and Field Determinations

00. *General*  
Making rubber membranes. Vaid, Y. P., and Campanella, R. G., 643.
03. *Composition, Structure, and Density*  
Clay layer fabric and oedometer consolidation of a soft varved clay: Discussion. Rao, D. V., 307.

---

<sup>1</sup>Based on the International Geotechnical Classification System (IGC) approved in 1969 by the International Society for Soil Mechanics and Foundation Engineering. Permission to use this classification system is gratefully acknowledged.

Clay layer fabric and oedometer consolidation of a soft varved clay: Closure. Quigley, R. M., and Ogunbadejo, T. A., 308.

#### 04. *Permeability and Capillarity*

Laboratory investigation of permeability ratio of New Liskeard varved soil. Chan, H. T., and Kenney, T. C., 453.  
Field investigation of permeability ratio of New Liskeard varved soil. Kenney, T. C., and Chan, H. T., 473.

#### 05. *Compressibility*

Thaw-consolidation tests on remoulded clays. Morgenstern, N. R., and Smith, L. B., 25.  
Caractéristiques de compressibilité des argiles du complexe Nottaway-Broadback-Rupert (Baie James). Dascal, O. et Larocque, G. S., 41.  
Prediction of foundation deformations in Edmonton using an *in situ* pressure probe. Eisenstein, Z., and Morrison, N. A., 193.  
Clay layer fabric and oedometer consolidation of a soft varved clay: Discussion. Rao, D. V., 307.  
Clay layer fabric and oedometer consolidation of a soft varved clay: Closure. Quigley, R. M., and Ogunbadejo, T. A., 308.  
Determination of some frozen and thawed properties of permafrost soils. Watson, G. H., Slusarchuk, W. A., and Rowley, R. K., 592.  
Thaw-consolidation of some layered systems. Nixon, J. F., 617.

#### 06. *Shear-deformation and Strength Properties*

Excess pore pressures during undrained clay creep. Holzer, T. L., Höeg, K., and Arulanandan, K., 12.  
The yielding behavior of particulate media. Frydman, S., Zeitlen, J. G., and Alpan, I., 341.  
Instrumented impact cone penetrometer. Dayal, U., and Allen, J. H., 397.  
An apparatus for plane strain and true triaxial testing of undisturbed soil samples. Mitchell, R. J., 520.  
Canadian soil penetration tests of 1872. Peckover, F. L., and Legget, R. F., 528.  
Deformation characteristics of granular materials under hydrostatic compression: Discussion. Bhaskaran, R., 558.  
Deformation characteristics of granular materials under hydrostatic compression: Discussion. Raju, V. S., and Sadasivan, S. K., 559.  
An approach to the problem of progressive failure: Discussion. Mitchell, R. J., and Lawrence, V. M., 562.  
Strength anisotropy and time effects of two sensitive clays: Discussion. Sankaran, K. S., and Bhaskaran, R., 564.  
Strength anisotropy and time effects of two sensitive clays: Reply. Lo, K. Y., and Morin, J. P., 566.  
The residual stress in thawing soils. Nixon, J. F., and Morgenstern, N. R., 571.  
Determination of some frozen and thawed properties of permafrost soils. Watson, G. H., Slusarchuk, W. A., and Rowley, R. K., 592.  
The generalized failure of an Ottawa Valley Champlain Sea Clay. Mitchell, R. J., and Wong, P. K. K., 607.  
Evaluation of the elasticity of clay soils. Elsamny, M. K., 632.  
True shear parameters of saturated clays. Sridharan, A., and Rao, S. N., 652.  
An approach to the problem of progressive failure: Closure. Lo, K. Y., 671.  
Excess pore pressures during undrained clay creep: Discussion. Newland, P. L., 673.  
Deformation characteristics of granular materials under hydrostatic compression: Reply. El-Sobhy, M. A., and Andrawes, K. Z., 676.

#### 08. *Thermal Properties*

Thaw-consolidation tests on remoulded clays. Morgenstern, N. R., and Smith, L. B., 25.  
Instrumentation around a warm oil pipeline buried in permafrost. Slusarchuk, W. A., Watson, G. H., and Speer, T. L., 227.  
Performance of a 48-in. warm-oil pipeline supported on permafrost. Rowley, R. K., Watson, G. H., Wilson, T. M., and Auld, R. G., 282.  
A frost tube for the determination of freezing in the active layer above permafrost. Mackay, J. R., 392.  
Instrumentation for dykes on permafrost, Kettle Generating Station. Gupta, R. C., Marshall, R. G., and Badke, D., 410.

- A comparison of the T.R.R.L. and C.R.R.E.L. tests for the frost susceptibility of soils. Sutherland, H. B., and Gaskin, P. N., 553.  
 The residual stress in thawing soils. Nixon, J. F., and Morgenstern, N. R., 571.  
 Determination of some frozen and thawed properties of permafrost soils. Watson, G. H., Slusarchuk, W. A., and Rowley, R. K., 592.  
 Thaw-consolidation of some layered systems. Nixon, J. F., 617.

10. *Properties of Soil-Additive Mixtures*

- An artificial material for simulating Champlain clays. Tavenas, F. A., Roy, M., and LaRochelle, P., 489.

### E. Analysis of Soil-engineering Problems

01. *In Situ Stresses Caused by Gravity and Applied Loads and Excavations*

- Finite element analysis of El Infiernillo Dam. Skermer, N. A., 129.  
 Measured contact pressures below raft supporting a stiff building. Eden, W. J., McRostie, G. C., and Hall, J. S., 180.  
 Measured contact pressures below raft supporting a stiff building: Discussion. Meyerhof, G. G., 673.

02. *Deformation and Settlement Problems*

- The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Discussion. Leonards, G. A., 120.  
 The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Closure. Crawford, C. B., 122.  
 Settlement of an embankment constructed on marine clay. Devata, M., and Darch, B. T., 161.  
 Prediction of foundation deformations in Edmonton using an *in situ* pressure probe. Eisenstein, Z., and Morrison, N. A., 193.  
 Settlement performance of two embankments on deep compressible soils. Samson, L., and Garneau, R., 211.  
 Heave and settlement of two tall building foundations in Edmonton, Alberta. Morgenstern, N. R., and DeJong, J., 261.  
 Digue d'essai pour l'étude des tassements d'une fondation d'argile molle et sensible. Dascal, O., Larocque, G. S. et Tournier, J.-P., 363.  
 Settlement performance of two embankments on deep compressible soils: Discussion. Bozozuk, M., 670.  
 Settlement of an embankment constructed on marine clay: Discussion. Bozozuk, M., 671.

04. *Bearing Capacity of Piles*

- The uplift capacity of foundations under oblique loads. Meyerhof, G. G., 64.  
 The bearing capacity of rigid piles under inclined loads in sand. II: Batter piles. Meyerhof, G. G., and Ranjan, G., 71.  
 The behavior of piles driven in clay. II: Investigation of the bearing capacity using total and effective strength parameters. Clark, J. I., and Meyerhof, G. G., 86.  
 The behavior of long piles under compressive loads in sand. Hanna, T. H., and Tan, R. H. S., 311.  
 The bearing capacity of rigid piles under inclined loads in sand. III: Pile groups. Meyerhof, G. G., and Ranjan, G., 428.  
 Volume displacement effects on pile capacity in loose sand. Robinsky, E. I., and Cragg, B. H., 645.  
 Long-term uplift capacity of augered footings in fissured clay. Radhakrishna, H. S., and Adams, J. I., 647.  
 The influence of anchor inclination on pull-out resistance of clays. Hanna, T. H., 664.

06. *Stability of Slopes, Cuts, and Excavations*

- A slope failure in swelling clay. Kassiff, G., and Alpan, I., 531.  
 An approach to the problem of progressive failure: Discussion. Mitchell, R. J., and Lawrence, V. M., 562.



A reexamination of the geology of the Frank Slide. Cruden, D. M., and Krahn, J., 581.  
An approach to the problem of progressive failure: Closure. Lo, K. Y., 671.

08. *Dynamic Problems*

Coupled rocking and lateral vibrations of embedded footings. Ulrich, C. M., and Kuhlemeyer, R. L., 145.

09. *Frost Action and Heat-transfer Problems*

Instrumentation around a warm oil pipeline buried in permafrost. Slusarchuk, W. A., Watson, G. H., and Speer, T. L., 227.

Performance of a 48-in. warm-oil pipeline supported on permafrost. Rowley, R. K., Watson, G. H., Wilson, T. M., and Auld, R. G., 282.

Instrumentation for dykes on permafrost, Kettle Generating Station. Gupta, R. C., Marshall, R. G., and Badke, D., 410.

A study of some factors affecting the thawing of frozen soils. Nixon, J. F., and McRoberts, E. C., 439.

**F. Rock Properties; Laboratory and Field Determinations**

08. *Special Properties of Rock*

Concrete to bedrock bond testing by jacking from bottom of a bore hole. Gibson, G. L., and Devenny, D. W., 304.

**H. Design, Construction, and Behavior of Engineering Works**

01. *Foundations of Structures*

The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Discussion. Leonards, G. A., 120.

The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Closure. Crawford, C. B., 122.

Measured contact pressures below raft supporting a stiff building. Eden, W. J., McRostie, G. C., and Hall, J. S., 180.

Prediction of foundation deformations in Edmonton using an *in situ* pressure probe. Eisenstein, Z., and Morrison, N. A., 193.

An experience with heave of cast *in situ* expanded base piles. Brzezinski, L. S., Sectors, L., MacPhie, H. L., and Vander Noot, H. J., 246.

Heave and settlement of two tall building foundations in Edmonton, Alberta. DeJong, J., and Morgenstern, N. R., 261.

Foundation performance of a 100-year-old bridge. Legget, R. F., and Peckover, F. L., 504.

Measured contact pressures below raft supporting a stiff building: Discussion. Meyerhof, G. G., 673.

02. *Retaining Structures and Cutoff Walls*

Extrusion of soft clay through a retaining wall. Broms, B. B., and Bjerke, H., 103.

04. *Earthworks, Embankments, Fills, and Dams*

The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Discussion. Leonards, G. A., 120.

The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Closure. Crawford, C. B., 122.

Finite element analysis of El Infiernillo Dam. Skermer, N. A., 129.

Settlement of an embankment constructed on marine clay. Devata, M., and Darch, B. T., 161.

Settlement performance of two embankments on deep compressible soils. Samson, L., and Garneau, R., 211.

Digue d'essai pour l'étude des tassements d'une fondation d'argile molle et sensible. Dascal, O., Larocque, G. S. et Tournier, J.-P., 363.

- A slope failure in swelling clay. Kassiff, G., and Alpan, I., 531.  
Manicouagan-3: Auscultation du barrage principal. Dascal, O., 536.  
Settlement performance of two embankments on deep compressible soils: Discussion.  
Bozozuk, M., 670.  
Settlement of an embankment constructed on marine clay: Discussion. Bozozuk, M.,  
671.

#### **T. Related Disciplines**

##### **01. Pure Science**

- Finite element analysis of El Infiernillo Dam. Skermer, N. A., 129.  
Coupled rocking and lateral vibrations of embedded footings. Urlich, C. M., and  
Kuhlemeyer, R. L., 145.



**Canadian  
Geotechnical  
Journal**


**Revue  
canadienne de  
géotechnique**

**Volume 10 • 1973**

**Editor / Directeur scientifique  
A. G. STERMAC**

**Published by the  
National Research Council  
of Canada**

**Publiée par le  
Conseil national de recherches  
du Canada**



## CONTENTS/SOMMAIRE

### FEBRUARY/FÉVRIER

#### ARTICLES:

- |   |    |
|---|----|
| <b>A. Judge</b> The prediction of permafrost thicknesses  | 1  |
| <b>T. L. Holzer, K. Hög, and K. Arulanandan</b> Excess pore pressures during undrained clay creep   | 12 |
| <b>N. R. Morgenstern and L. B. Smith</b> Thaw-consolidation tests on remoulded clays  | 25 |
| <b>O. Dascal et G. S. Larocque</b> Caractéristiques de compressibilité des argiles du complexe Nottaway-Broadback-Rupert (Baie James)                               | 41 |
| <b>G. G. Meyerhof</b> The uplift capacity of foundations under oblique loads  | 64 |
| <b>G. G. Meyerhof and G. Ranjan</b> The bearing capacity of rigid piles under inclined loads in sand. II. Batter piles  | 71 |
| <b>J. I. Clark and G. G. Meyerhof</b> The behavior of piles driven in clay. II. Investigation of the bearing capacity using total and effective strength parameters | 86 |

#### TECHNICAL NOTES/NOTES TECHNIQUES:

- |   |     |
|---|-----|
| <b>B. B. Broms and H. Bjerke</b> Extrusion of soft clay through a retaining wall                                | 103 |
| <b>A. B. Hollingshead, E. K. Yaremko, and C. R. Neill</b> Sedimentation in Glenmore Reservoir, Calgary, Alberta | 109 |

#### DISCUSSIONS:

- |   |     |
|---|-----|
| <b>G. A. Leonards</b> The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Discussion | 120 |
| <b>C. B. Crawford</b> The Empress Hotel, Victoria, British Columbia. Sixty-five years of foundation settlements: Closure    | 122 |
| <b>J. I. Adams and T. W. Klym</b> A study of anchorages for transmission tower foundations: Closure                         | 125 |

#### BOOK REVIEWS/CRITIQUE DES LIVRES:

- |  |     |
|--|-----|
| <b>J. J. Emery</b> Fundamentals of earthquake engineering                    | 127 |
| <b>N. E. Wilson</b> Symposium on strength and deformation behaviour of soils | 127 |

### MAY/MAI

#### ARTICLES:

- |   |     |
|---|-----|
| <b>N. A. Skermer</b> Finite element analysis of El Infiernillo Dam  | 129 |
| <b>C. M. Ulrich and R. L. Kuhlemeyer</b> Coupled rocking and lateral vibrations of embedded footings  | 145 |
| <b>M. Devata and B. T. Darch</b> Settlement of an embankment constructed on marine clay   | 161 |
| <b>W. J. Eden, G. C. McRostie, and J. S. Hall</b> Measured contact pressures below raft supporting a stiff building                           | 180 |
| <b>Z. Eisenstein and N. A. Morrison</b> Prediction of foundation deformations in Edmonton using an <i>in situ</i> pressure probe              | 193 |
| <b>L. Samson and R. Garneau</b> Settlement performance of two embankments on deep compressible soils  | 211 |
| <b>W. A. Slusarchuk, G. H. Watson, and T. L. Speer</b> Instrumentation around a warm oil pipeline buried in permafrost                        | 227 |
| <b>L. S. Brzezinski, L. Shector, H. L. MacPhie, and H. J. Vander Noot</b> An experience with heave of cast <i>in situ</i> expanded base piles | 246 |
| <b>J. DeJong and N. R. Morgenstern</b> Heave and settlement of two tall building foundations in Edmonton, Alberta                             | 261 |
| <b>R. K. Rowley, G. H. Watson, T. M. Wilson, and R. G. Auld</b> Performance of a 48-in. warm-oil pipeline supported on permafrost             | 282 |

#### TECHNICAL NOTE/NOTE TECHNIQUE:

- |  |     |
|--|-----|
| <b>G. L. Gibson and D. W. Devenny</b> Concrete to bedrock bond testing by jacking from bottom of a bore hole | 304 |
|--|-----|

**DISCUSSIONS:**

- D. V. Rao** Clay layer fabric and oedometer consolidation of soft varved clay: Discussion 307  
**R. M. Quigley and T. A. Ogunbadejo** Clay layer fabric and oedometer consolidation of a soft varved clay: Closure 308

**BOOK REVIEWS/CRITIQUE DES LIVRES:**

- G. G. Meyerhof** Coulomb's memoir on statics 309  
**R. F. Leggett** Exploring minerals and crystals 309

**AUGUST/AOÛT****ARTICLES:**

- T. H. Hanna and R. H. S. Tan** The behavior of long piles under compressive loads in sand 311  
**S. Frydman, J. G. Zeitlen, and I. Alpan** The yielding behavior of particulate media 341  
**O. Dascal, G. S. Larocque et J.-P. Tournier** Digue d'essai pour l'étude des tassements d'une fondation d'argile molle et sensible 363  
**J. R. Mackay** A frost tube for the determination of freezing in the active layer above permafrost 392  
**U. Dayal and J. H. Allen** Instrumented impact cone penetrometer 397  
**R. C. Gupta, R. G. Marshall, and D. Badke** Instrumentation for dykes on permafrost, Kettle Generating Station 410  
**G. G. Meyerhof and G. Ranjan** The bearing capacity of rigid piles under inclined loads in sand. III: Pile groups 428  
**J. F. Nixon and E. C. McRoberts** A study of some factors affecting the thawing of frozen soils 439  
**H. T. Chan and T. C. Kenney** Laboratory investigation of permeability ratio of New Liskeard varved soil 453  
**T. C. Kenney and H. T. Chan** Field investigation of permeability ratio of New Liskeard varved soil 473  
**F. A. Tavenas, M. Roy, and P. LaRochelle** An artificial material for simulating Champlain clays 489  
**R. F. Leggett and F. L. Peckover** Foundation performance of a 100-year-old bridge 504

**TECHNICAL NOTES/NOTES TECHNIQUES:**

- R. J. Mitchell** An apparatus for plane strain and true triaxial testing of undisturbed soil samples 520  
**F. L. Peckover and R. F. Leggett** Canadian soil penetration tests of 1872 528  
**G. Kassiff and I. Alpan** A slope failure in swelling clay 531  
**O. Dascal** Manicouagan-3: Auscultation du barrage principal 536  
**H. B. Sutherland and P. N. Gaskin** A comparison of the T.R.R.L. and C.R.R.E.L. tests for the frost susceptibility of soils 553

**DISCUSSIONS:**

- R. Bhaskaran** Deformation characteristics of granular materials under hydrostatic compression: Discussion 558  
**V. S. Raju and S. K. Sadasivan** Deformation characteristics of granular materials under hydrostatic compression: Discussion 559  
**R. J. Mitchell and V. M. Lawrence** An approach to the problem of progressive failure: Discussion 562  
**K. S. Sankaran and R. Bhaskaran** Strength anisotropy and time effects of two sensitive clays: Discussion 564  
**K. Y. Lo and J. P. Morin** Strength anisotropy and time effects of two sensitive clays: Reply 566

**BOOK REVIEW/CRITIQUE DE LIVRE:**

- J. S. Scott** Engineering geology case histories number 8; Engineering seismology: The works of man 570

**NOVEMBER/NOVEMBRE****ARTICLES:**

- J. F. Nixon and N. R. Morgenstern** The residual stress in thawing soils 571  
**D. M. Cruden and J. Krahn** A reexamination of the geology of the Frank Slide 581  
**G. H. Watson, W. A. Slusarchuk, and R. K. Rowley** Determination of some frozen and thawed properties of permafrost soils 592

<b>R. J. Mitchell and P. K. K. Wong</b> The generalized failure of an Ottawa Valley Champlain Sea Clay	607
<b>J. F. Nixon</b> Thaw-consolidation of some layered systems	617
<b>M. K. Elsamny</b> Evaluation of the elasticity of clay soils	632
<b>TECHNICAL NOTES/NOTES TECHNIQUES:</b>	
<b>Y. P. Vaid and R. G. Campanella</b> Making rubber membranes	643
<b>E. I. Robinsky and C. B. H. Cragg</b> Volume displacement effects on pile capacity in loose sand	645
<b>H. S. Radhakrishna and J. I. Adams</b> Long-term uplift capacity of augered footings in fissured clay	647
<b>A. Sridharan and S. N. Rao</b> True shear parameters of saturated clays	652
<b>T. H. Hanna</b> The influence of anchor inclination of pull-out resistance of clays	664
<b>DISCUSSIONS:</b>	
<b>M. Bozozuk</b> Settlement performance of two embankments on deep compressible soils: Discussion	670
<b>M. Bozozuk</b> Settlement of an embankment constructed on marine clay: Discussion	671
<b>K. Y. Lo</b> An approach to the problem of progressive failure: Closure	671
<b>G. G. Meyerhof</b> Measured contact pressures below raft supporting a stiff building: Discussion	673
<b>P. L. Newland</b> Excess pore pressures during undrained clay creep: Discussion	673
<b>M. A. El-Sohby and K. Z. Andrawes</b> Deformation characteristics of granular materials under hydrostatic compression: Reply	676
<b>BOOK REVIEWS/CRITIQUE DES LIVRES:</b>	
<b>J. F. Capelle</b> Foundation instrumentation	677
<b>E. A. Christiansen</b> Cities and geology	678
<b>Author Index</b>	679
<b>Subject Index</b>	682
<b>Contents of Volume 10</b>	iii